

SUS304(並目)

材 質：SUS304 材 料 規 格：AS7245
 サ イ ズ：M2 - M48(並目) 対 応 温 度 帯：～425℃
 特 色：標準品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
05022	M2-0.40	1D	3.250	2.50-2.70	2.1
05023		1.5D	5.500		
05024		2D	7.750		
05025		2.5D	10.125		
05026		3D	12.375		
05252	M2.5-0.45	1D	3.125	3.10-3.20	2.6
05253		1.5D	5.375		
05254		2D	7.625		
05255		2.5D	9.875		
05256	3D	12.125			
05262	M2.6-0.45	1D	4.400	3.20-3.50	2.6
05263		1.5D	7.500		
05264		2D	8.950		
05265		2.5D	11.000		
05266	3D	13.000			
05030-1.5	M3-0.50	0.5D	2.100	3.65-3.80	3.1
05030-2.4		0.8D	3.000		
05032		1D	4.150		
05033		1.5D	6.950		
05034		2D	9.750		
05035		2.5D	12.550		
05036	3D	15.350			
05040-2	M4-0.70	0.5D	2.000	4.90-5.15	4.2
05040-3.2		0.8D	2.850		
05042		1D	3.850		
05043		1.5D	6.550		
05044		2D	9.150		
05045		2.5D	11.850		
05046	3D	14.450			
05050-2.5	M5-0.80	0.5D	1.550	6.00-6.20	5.2
05050-4		0.8D	4.000		
05052		1D	4.450		
05053		1.5D	7.350		
05054		2D	10.250		
05055		2.5D	13.150		
05056	3D	16.050			
05060-3	M6-1.00	0.5D	2.000	7.25-7.45	6.3
05060-4.8		0.8D	4.800		
05062		1D	4.150		
05063		1.5D	6.950		
05064		2D	9.750		
05065		2.5D	12.550		
05066	3D	15.350			
05080-4	M8-1.25	0.5D	4.000	9.60-9.80	8.4
05080-6.4		0.8D	6.400		
05082		1D	4.550		
05083		1.5D	7.550		
05084		2D	10.550		
05085		2.5D	13.550		
05086	3D	16.550			

SUS304(並目)

材 質 : SUS304 材 料 規 格 : AS7245
 サ イ ズ : M2 - M48(並目) 対 応 温 度 帯 : ~ 425℃
 特 色 : 標準品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
05100-5	M10-1.50	0.5D	2.350	11.95-12.50	10.5
05102		1D	4.875		
05103		1.5D	8.000		
05104		2D	11.125		
05105		2.5D	14.250		
05106		3D	12.375		
05122	M12-1.75	1D	5.000	14.30-15.00	12.5
05123		1.5D	8.250		
05124		2D	11.500		
05125		2.5D	14.625		
05126		3D	17.875		
05142	M14-2.00	1D	5.125	16.65-17.35	14.5
05143		1.5D	8.500		
05144		2D	11.750		
05145		2.5D	15.000		
05146		3D	18.375		
05162	M16-2.00	1D	6.100	18.35-18.55	16.5
05163		1.5D	9.600		
05164		2D	13.700		
05165		2.5D	17.500		
05166		3D	21.150		
05182	M18-2.50	1D	5.375	21.30-22.00	18.8
05183		1.5D	8.875		
05184		2D	12.250		
05202	M20-2.50	1D	6.125	23.55-24.40	20.8
05203		1.5D	9.875		
05204		2D	13.625		
05222	M22-2.50	1D	6.750	25.90-26.90	22.8
05223		1.5D	10.875		
05224		2D	14.875		
05242	M24-3.00	1D	6.125	28.00-29.00	24.8
05243		1.5D	10.000		
05244		2D	13.750		
05272	M27-3.00	1D	7.000	31.40-32.40	28.0
05273		1.5D	11.250		
05274		2D	15.500		
05302	M30-3.50	1D	6.650	34.85-35.35	31.0
05303		1.5D	10.750		
05304		2D	14.890		
05332	M33-3.50	1D	7.550	38.20-38.55	33.5
05333		1.5D	11.950		
05334		2D	16.400		
05362	M36-4.00	1D	7.000	41.90-42.40	37.0
05363		1.5D	11.350		
05364		2D	15.750		
05392	M39-4.00	1D	7.800	45.05-45.55	40.0
05393		1.5D	12.500		
05394		2D	17.150		

SUS304(並目)

材	質：SUS304	材 料 規 格：AS7245
サ	イ ズ：M2 - M48(並目)	対 応 温 度 帯：～425℃
特	色：標準品	※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
05422	M42-4.50	1D	7.350	48.50-49.00	43.0
05423		1.5D	11.850		
05424		2D	16.350		
05483	M48-5.00	1.5D	12.150	55.47-56.40	49.0
05484		2D	17.100		

SUS304(細目)

材 質：SUS304 材 料 規 格：AS7245
 サ イ ズ：M8 - M52(細目) 対 応 温 度 帯：～425℃
 特 色：一般品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
08082	M8-0.75	1D	8.600	9.00-9.18	8.3
08083		1.5D	13.750		
08084		2D	18.750		
07082	M8-1.00	1D	6.150	9.40-9.65	8.3
07083		1.5D	9.850		
07084		2D	13.650		
08102	M10-1.00	1D	8.050	11.34-11.63	10.3
08103		1.5D	12.750		
08104		2D	17.550		
07102	M10-1.25	1D	6.050	11.80-12.10	10.3
07103		1.5D	9.850		
07104		2D	13.550		
08122-1	M12-1.00	1D	10.250	13.55-13.90	12.3
08123-1		1.5D	15.350		
08124-1		2D	21.300		
08122	M12-1.25	1D	7.650	13.70-14.05	12.3
08123		1.5D	12.150		
08124		2D	16.650		
07122	M12-1.50	1D	5.850	14.00-14.30	12.3
07123		1.5D	9.500		
07124		2D	13.230		
07142	M14-1.50	1D	7.350	16.15-16.55	14.3
07143		1.5D	11.750		
07144		2D	16.250		
07162	M16-1.50	1D	8.650	18.20-18.60	16.5
07163		1.5D	13.750		
07164		2D	18.850		
08182	M18-1.50	1D	9.850	20.35-20.75	18.5
08183		1.5D	15.450		
08184		2D	21.050		
07182	M18-2.00	1D	7.000	21.15-21.85	18.5
07183		1.5D	11.125		
07184		2D	15.375		
08202	M20-1.50	1D	11.250	22.08-22.50	20.5
08203		1.5D	17.650		
08204		2D	23.950		
07202	M20-2.00	1D	8.050	22.97-23.40	20.5
07203		1.5D	12.750		
07204		2D	17.450		
08202	M22-1.50	1D	12.550	23.90-24.45	22.5
08203		1.5D	19.750		
08204		2D	26.650		
07222	M22-2.00	1D	9.050	25.00-25.40	22.5
07223		1.5D	14.250		
07224		2D	19.450		
08242	M24-1.50	1D	13.850	26.10-26.60	24.5
08243		1.5D	21.550		
08244		2D	29.150		

SUS304(細目)

材	質 : SUS304	材 料 規 格 : AS7245
サ	イ ズ : M8 - M52(細目)	対 応 温 度 帯 : ~ 425°C
特	色 : 一般品	※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
07242	M24-2.00	1D	9.950	27.00-27.50	24.5
07243		1.5D	15.650		
07244		2D	21.450		
08262	M26-1.50	1D	15.150	28.10-28.60	26.5
08263		1.5D	23.450		
08264		2D	31.750		
08272	M27-1.50	1D	15.850	29.10-29.60	27.5
08273		1.5D	24.450		
08274		2D	33.150		
07272	M27-2.00	1D	11.080	30.40-30.85	36.5
07273		1.5D	17.400		
07274		2D	23.870		
08302	M30-1.50	1D	17.450	32.50-32.80	42.5
08303		1.5D	26.950		
08304		2D	36.550		
07302	M30-2.00	1D	12.480	33.55-34.00	22.5
07303		1.5D	19.580		
07304		2D	26.540		
05302-3	M30-3.00	1D	7.875	34.90-36.10	24.5
05303-3		1.5D	12.500		
05304-3		2D	17.125		
07332	M33-2.00	1D	13.930	36.70-37.15	27.5
07333		1.5D	21.670		
07334		2D	39.420		
05332-3	M33-3.00	1D	9.050	37.64-38.50	33.5
05333-3		1.5D	14.250		
05334-3		2D	19.450		
08362	M36-1.50	1D	22.150	38.45-38.95	36.5
08363		1.5D	33.950		
08364		2D	45.750		
07362-2	M36-2.00	1D	16.150	39.52-40.05	36.5
07363-2		1.5D	25.050		
07364-2		2D	33.750		
07362	M36-3.00	1D	9.750	41.30-42.70	36.5
07363		1.5D	15.250		
07364		2D	20.875		
08392	M39-2.00	1D	16.950	42.40-43.05	39.5
08393		1.5D	26.250		
08394		2D	35.550		
07392	M39-3.00	1D	10.950	43.87-44.30	39.5
07393		1.5D	17.150		
07394		2D	23.350		
08422	M42-2.00	1D	19.150	44.70-45.50	42.5
08423		1.5D	29.450		
08424		2D	39.850		
07422	M42-3.00	1D	11.750	47.20-47.85	42.5
07423		1.5D	18.450		
07424		2D	26.050		

SUS304(細目)

材 質：SUS304 材 料 規 格：AS7245
 サ イ ズ：M8 - M52(細目) 対 応 温 度 帯：～425℃
 特 色：一般品 ※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
05422-4	M42-4.00	1D	8.500	48.50-49.00	42.5
05423-4		1.5D	13.450		
05424-4		2D	18.650		
07452	M45-3.00	1D	12.700	50.30-51.00	45.9
07453		1.5D	19.850		
07454		2D	26.950		
07482	M48-3.00	1D	13.650	52.50-53.50	49.0
07483		1.5D	21.250		
07484		2D	28.850		
05483-4	M48-4.00	1.5D	15.560	53.80-54.30	49.0
07523	M52-3.00	1.5D	15.000	一般品	53.0
07524		2D	23.200		

SUS304(UNC)

材 質：SUS304
サ イ ズ：#2-1"
特 色：標準品

材 料 規 格：AS7245
対 応 温 度 帯：～425℃
※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
03522	#2-56	1D	3.000	2.79-3.02	2.3
03523		1.5D	5.250		
03524		2D	7.375		
03532	#3-48	1D	2.875	3.25-3.53	2.7
03533		1.5D	5.000		
03534		2D	7.250		
03542	#4-40	1D	2.750	3.65-4.04	3.0
03543		1.5D	4.750		
03544		2D	6.750		
03552	#5-40	1D	3.250	4.01-4.39	3.4
03553		1.5D	5.500		
03554		2D	7.750		
03562	#6-32	1D	2.750	4.52-4.90	3.8
03563		1.5D	4.750		
03564		2D	6.875		
03582	#8-32	1D	3.500	5.20-5.85	4.4
03583		1.5D	6.000		
03584		2D	8.375		
03602	#10-24	1D	2.875	6.19-6.57	5.1
03603		1.5D	5.000		
03604		2D	7.125		
03622	#12-24	1D	3.500	7.87-8.38	5.8
03623		1.5D	6.000		
03624		2D	8.375		
03042	1/4-20	1D	3.375	7.87-8.38	6.7
03043		1.5D	5.750		
03044		2D	8.000		
03052	5/16-18	1D	4.000	9.65-10.16	8.3
03053		1.5D	6.625		
03054		2D	9.250		
03062	3/8-16	1D	4.375	11.48-11.98	9.9
03063		1.5D	7.250		
03064		2D	10.000		
03072	7/16-14	1D	4.500	13.36-13.99	11.5
03073		1.5D	7.375		
03074		2D	10.250		
03082	1/2-13	1D	4.875	15.16-15.79	13.0
03083		1.5D	7.875		
03084		2D	11.000		
03102	5/8-11	1D	5.250	18.84-19.48	16.5
03103		1.5D	8.500		
03104		2D	11.750		
03122	3/4-10	1D	5.875	22.37-23.01	23.0
03123		1.5D	9.375		
03124		2D	13.000		
03142	7/8-9	1D	6.250	25.95-26.72	26.0
03143		1.5D	10.000		
03144		2D	13.750		

SUS304(UNC)

材 質：SUS304
サ イ ズ：#2-1"
特 色：標準品

材 料 規 格：AS7245
対 応 温 度 帯：～425℃
※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
03162	1"-8	1D	6.375	29.61-30.37	29.5
03163		1.5D	10.125		
03164		2D	14.000		

SUS304(UNF)

材 質：SUS304
サ イ ズ：#3-1"
特 色：標準品

材 料 規 格：AS7245
対 応 温 度 帯：～425℃
※記載のないサイズは受注生産



PART.NO.	サイズ		自由巻数	自由外径	ドリルサイズ
	径	長さ			
04532	#3-56	1D	3.600	3.15-3.25	2.7
04533		1.5D	6.050		
04534		2D	8.650		
04542	#4-48	1D	3.550	3.57-3.67	3.0
04543		1.5D	5.950		
04544		2D	8.250		
04562	#6-40	1D	3.550	4.38-4.50	3.8
04563		1.5D	6.150		
04564		2D	8.650		
04582	#8-36	1D	3.850	5.14-5.28	4.4
04583		1.5D	6.850		
04584		2D	9.350		
04602	#10-32	1D	4.250	5.85-6.00	5.1
04603		1.5D	7.050		
04604		2D	9.950		
04622	#12-28	1D	4.250	6.73-7.18	5.8
04623		1.5D	7.300		
04624		2D	9.850		
04042	1/4-28	1D	5.000	7.60-7.80	6.6
04043		1.5D	8.450		
04044		2D	11.650		
04052	5/16-24	1D	5.550	9.45-9.65	8.2
04053		1.5D	9.050		
04054		2D	12.550		
04062	3/8-24	1D	7.050	11.00-11.20	9.8
04063		1.5D	11.250		
04064		2D	15.450		
04072	7/16-20	1D	6.850	12.96-13.2	11.5
04073		1.5D	11.050		
04074		2D	15.250		
04082	1/2-20	1D	8.050	14.60-14.90	13.0
04083		1.5D	12.750		
04084		2D	17.450		
04102	5/8-18	1D	9.250	18.00-18.30	16.3
04103		1.5D	14.550		
04104		2D	20.050		
04122	3/4-16	1D	9.950	21.20-21.60	19.5
04123		1.5D	15.550		
04124		2D	21.350		
04142	7/8-14	1D	10.150	24.97-25.33	22.5
04143		1.5D	16.150		
04144		2D	22.050		
04162	1"-12	1D	9.950	28.47-28.83	26.0
04163		1.5D	15.350		
04164		2D	21.350		